



# Mental Health Services in Rural India: Challenges and Prospects

**Anant Kumar\***

*Health service system shows that providing mental health services in rural areas is a challenging task, which needs infrastructural, architectural and programmatic correction in the existing National Mental Health programme and District Mental Health programme. Lack of trained human resource for mental health care and treatment is another challenge [31],*

**Keywords : Rural Health, Mental Health**

## Introduction

Health is 'a state of complete physical, social, and mental well being and not merely the absence of disease or infirmity' [1,2]. Nevertheless, our health system is pre-occupied with curative health care services and disease prevention, with little attention on social and mental well being. Among these, mental health and well being is the most neglected one [3,4], particularly in rural areas [5,6]. Silence on mental health services in rural India [7] in the National Rural Health Mission (NRHM) [8] is a serious matter of concern. The omission of mental health in the NRHM mission document becomes even more serious in the backdrop of the uneven performance of the National Mental Health Program (NMHP, 1982) [9,10,11] and District Mental Health Programme (DMHP) [12] which is operational in only 125 districts out of 626 districts of India. With various flaws and implementation constraints in the NMHP and DMHP [13,14], there has been a very little effort so far to improve the rural mental health services.

## Issues and Concerns

Mental illness constitutes nearly one sixth of all health-related disorders [15]. With the population increase, changing values, life-style, frequent disruptions in income, crop failure [16], natural calamity (drought and flood), economic crisis [17], unemployment, lack of social support and increasing insecurity, it is fearfully expected that there would be a substantial increase [18,19] in the number of people suffering from mental illness in rural areas. Among priority non-communicable diseases in India, mental illness constitutes 26 percent share in the burden of disease and available data suggest that there would be a sharp increase in this in coming years [20,21,22]. Projections suggest that the health burden due to mental disorders will increase to 15% of DALY by 2020 [23]. The Study by the National Commission on Macroeconomics and Health (NCMH) shows that at least 6.5% of the Indian population had some form of serious mental disorders, with no discernible rural-urban differences [24]. Epidemiological studies done in last two decades shows that the prevalence of mental disorders range from 18 to 207 per 1000 population with the median 65.4 per 1000 at any given time. Most of these patients live in rural areas, far away from any modern mental health facilities [25]. The overall individual burden for rural areas cannot be estimated with the available studies. Nevertheless, considering the fact that 72.2 percent of population lives in rural areas, with only about 25 percent of the health infrastructure, medical manpower and other health resources, it may be surmised that the number of people affected with any mental and behavioural disorder would be higher in rural areas [26].

Despite NRHM initiatives and improvements, general health services in rural areas are not adequate and are struggling with infrastructural, human resources and other problems. Only 31.9 percent of all government hospital beds are available in rural areas as compared to 68.1 percent for the urban population. At the national level the current bed-population ratio for Government hospital beds for urban areas (1.1 beds/1000

---

\*Assistant Professor, Department of Rural Management, Xavier Institute of Social Service, Ranchi, India  
(Email: pandeyanant@hotmail.com)

population) is almost five times the ratio in rural areas (0.2 beds/1000 population) <sup>[27,28,29]</sup>. There is a shortfall of 8% of doctors in Primary Health Centres (PHC), 65% of specialist at Community Health Centres (CHC), 55.3% of male health workers, and 12.6% of female health workers <sup>[30]</sup>.

## **Challenges**

The epidemiological situation and available considering few institutions available for mental health professional training. Besides these, major challenge is lack of political commitment and realization that mental health is an important aspect of our health system which has far reaching implication for the development of the country.

## **Mental Health Needs of the Rural Community and the Treatment gap**

Consider the limited or no service availability; the treatment gap is huge in rural areas. According to one estimate, even if all 3000 psychiatrists available in the country are involved in face to face patient contact and treatment for 8 hours a day, five days a week, and saw a single patient for a total of 15-30 minutes over a 12 month period, they would altogether provide care for about 10-20% of the total burden of serious mental disorders. Surprisingly, it is almost similar to the estimated 'treatment gap' of ninety percent.

## **Barriers in Seeking Help**

Barriers in seeking help in rural area are many. Major barriers in seeking help are unavailability of mental health services, low literacy, socio-cultural barriers, traditional and religious beliefs, and stigma <sup>[32]</sup> and discrimination associated with mental illness. Unavailability of mental health services and lack of resources, particularly in terms of human resources, financial constraints, and infrastructure are one of major barriers which makes access to mental health services in rural areas more difficult. The services available in urban areas are far and costly and difficult to utilise and access due to various reasons. Lack of awareness and recognition of CMD (common mental diseases) with prevailing stigma and discrimination is an important issue and barrier which is closely associated with low literacy in rural areas.

Other barriers are low political will of Central and state governments and unclear plan of action and policy. Another barrier is resistance to decentralization <sup>[33]</sup>, and resistance by mental health professionals and workers, whose interests are served by large hospitals. Above all, major barrier is difficulties in integrating mental health in Primary Health Care. Primary health care workers are overburdened with lack of supervision and specialist support. Other barrier is that medical students and psychiatric residents often trained only in mental hospitals settings with inadequate training of general health workforce and lack of infrastructure for supervision in the community.

Another important barrier is mental health leadership of the country which often lacks public health skills. Those who are in leadership positions are psychiatrists, trained in clinical management, without formal Public health training. Besides that the major barrier and challenge is resistance by psychiatrists to accept others as leaders.

## **Limited Facilities and Manpower for Care**

The people in rural areas are unable to access the services of the qualified doctors and other mental health professionals, where just 0.2 psychiatrists, 0.05 psychiatric nurses, 0.03 psychologists per 100,000 people, and 0.25 mental health beds per 10,000 populations (0.2 in mental hospital and 0.05 in general hospitals) <sup>[34]</sup> are available for the whole country. Interestingly, the number of availability of psychiatrist has gone down during 2001 and 2005 (see table. 1). To make the resources equitable, India needs about 140000 psychiatrists whereas we have about 3000 psychiatrists and 75% of them are working in urban areas where less than 28% of the population lives. The government spending on mental health is another concern where it spends just 0.83 percent of its total health budget on mental health <sup>[35]</sup>.

**Table 1**  
**Psychiatric beds and professionals**

	2001*	2005**
Total psychiatric beds per 10 000 population	0.26	0.26
Psychiatric beds in mental hospitals per 10 000 population	0.2	0.2
Psychiatric beds in general hospitals per 10 000 population	0.05	0.05
Psychiatric beds in other settings per 10 000 population	0.01	0.01
Number of psychiatrists per 100 000 population	0.4	0.2
Number of neurosurgeons per 100 000 population	0.06	0.06
Number of psychiatric nurses per 100 000 population	0.04	0.05
Number of neurologists per 100 000 population	0.05	0.05
Number of psychologists per 100 000 population	0.02	0.03
Number of social workers per 100 000 population	0.02	0.03

Source: \* *Atlas: Country Profile, 2001. WHO,*

\*\* *Mental Health Atlas, 2005. World Health Organization*

### **Innovations that have been attempted to date**

NGOs and civil society groups are involved in providing mental health service delivery and community mental health and have done commendable job [36]. Many of them have set up day care centres, half-way homes, long-stay homes, counselling centres, suicide prevention centres, school mental health programmes, disaster mental health care and community based programmes for the mentally ill. Nevertheless, most of their services are 'extension clinics' concentrated in urban areas with little attention on rural areas. Some of NGOs who are doing commendable jobs are Medico-Pastoral Association, Bangalore; Paripurnata, Kolkata; SCARF and The Banyan, Chennai; Richmond Fellowship Society (Bangalore, Lucknow, and Delhi); Cadabams, Bangalore; and Ashadeep in Guwahati. Interestingly most of these efforts are concentrated in Southern states and in urban areas. Nav Bharat Jagriti Kendra (NBJK), Hazaribagh is one of few organizations working in rural areas in partnership with 23 NGOs in 14 districts of Bihar and Jharkhand [37]. Some of other organisations working on mental health in rural areas are Shant Manas Trust in Madurai [38], and the Richmond Fellowship Society in Bangalore [39].

### **Evaluation of these Efforts**

Though various NGOs are doing commendable job in their areas, their geographical and service reach is very limited and dependent on donor support. Secondly, their initiatives have been isolated to pockets with limited funds and have not been supported by the government, both at the Centre and state level [40]. Thirdly, the continuance of their services and the quality of services is a serious concern where the staffs lack professional training and skills. Fourthly, we failed to recognise, learn from their experiences and extend these efforts in rural areas. It emerges that these NGOs can supplement in providing mental health services but they cannot be alternative to provide mental health care services in rural areas considering the need and treatment gap.

### **Future Prospects**

Proposed decentralization and synchronization of National Mental Health Programme (under 11th Five Year Plan, 2007-2012) with National Rural Health Mission is a good opportunity and has a wider prospect [41]. We can hope that this will ensure Primary Health Centre (PHC) based mental health services to the

rural population. Involving and training village level Accredited Social Health Activists (ASHA) is another opportunity. Adding a module on community mental health and training ASHAs will definitely help in early detection, treatment, and rehabilitation of patients in the community in the rural areas. Presently, most of the rural people approach traditional healers (religious saints, tantriks, unregistered medical practitioners, and quacks) for treating mental health problems. Considering people's faith in them and lack of trained professional, training these traditional healers could help in alleviating mental illness in rural areas. Developing short-term special curriculum based training for medical officers is another prospect which will help in providing clinical services at block level.

## Suggestions for the Future

Presently we are providing mental health services in 125 districts through District Mental Health Programme under NMHP. There is need to integrate NMHP and DMHP with National Rural Health Mission Programme if we want to provide mental health care, services and support to each and every individual in rural areas. The table given below suggest a model to provide mental health services in rural areas.

**Table 2.**

**Model of Mental Health Care and Service in Rural areas**

<b>Institution</b>	<b>Personnel</b>	<b>Level</b>	<b>Role</b>
Mental Health Institution	Specialist institution-al care and services	State Level	Treatment of Severe Mental health disorders
District Health Society	Civil Surgeon	District level	Planning, implementation, and service delivery
Community Health Centre	Psychiatrist	On One lakh Population	Treatment for Common Mental Health disorder
Primary Health Centre	Medical Officer in Charge	Block (on 30,000 population)	Counselling/identification/referral
Community Care	ASHA	Village/Community	Care, support, education, acceptance, and in addressing stigma and discrimination
Self Care/Family Care	Family /Community Members	Family	Care

Some of suggestions through which mental health care and services can be strengthened in rural areas are increasing the availability of resources, improving equity in their distribution, and enhancing efficiency in their utilization. Besides that there is also need to emphasise the role of specialists in filling the treatment gap. Building capacity in other health workers, particularly ASHA under the NRHM programme will help in demand generation as well as referral. Following suggestions or strategies in combination can be used for strengthening the rural mental health care services:

1. Convergence of National Mental Health Programme/District Mental Health Programme under National Rural Health Mission Programme and using existing PHCs and sub centres to providemental health services;
2. Capacity building of Rural/registered Medical Practitioners/ Primary Health care doctors/ASHA workers/ teachers/ Aanganwadi workers on tailor made modules. Recruiting additional manpower from within the community;
3. Advocacy through community, social and other bodies and involvement of religious leaders, teachers, local community leaders with key stakeholders;
4. Targeted awareness programme using available rural media;

5. Provisioning social security of mentally ill patients; and
6. Training for caregivers and relatives.

## Conclusion

The rural mental health services are neglected area which needs immediate attention considering the burden of disease and treatment gap. District Mental Health Programme needs restructuring and convergence within the NRHM. The “extension clinic” approach needs to be replaced with integration of mental health services with general health services and particularly under NRHM. Involving ASHAs under NRHM is an opportunity to provide mental health services at door steps in rural areas. Lastly, ensuring bottom up approach and community ownership is must to achieve universal mental health services, care and support in rural areas.

**Acknowledgement:** *I am thankful to Prof R. Srinivasa Murthy, Prof Doncho M. Donev, Dr Kamal Kalita and Dr. Amit Ranjan Basu for their comments on the paper.*

## Reference

- <sup>1</sup>Preamble to the Constitution of the World Health Organization as adopted by the International Health Conference, New York, 19–22 June 1946; signed on 22 July 1947 by the representatives of 61 States (Official Records of the World Health Organization, no. 2, p. 100); and entered into force on 7 April 1948.
- <sup>2</sup>Constitution of the World Health Organization- Basic Documents, Forty-fifth edition, Supplement, October 2006.
- <sup>3</sup>Kumar, A. 2010. Mental Health Services in India: A case study of Jahangirpuri. LAP Lambert Academic Publishing, Germany. (ISBN: 978-3-8383-6414-8).
- <sup>4</sup>Kumar, A. 2001. Mental Health in a Public Health Perspective. The Bihar Times: A Passage to Bihar.
- <sup>5</sup>Thara R, Padmavati R, Srinivasan T. 2004. Focus on psychiatry in India. British Journal of Psychiatry. 2004, 184:366-373.
- <sup>6</sup>Meltzer, M. 2008. Mental Health Care in India: Prescribing the Right Policy. Pepperdine Policy Review - Vol. 1 – 2008. Available from: <http://publicpolicy.pepperdine.edu/policy-review/2008v1/mental-health-care.htm>.
- <sup>7</sup>Kumar, A. 2005. National Rural Health Mission and Mental Health”, Health Action, Vol. 18, No. 11, November 2005.
- <sup>8</sup>National Rural Health Mission (2005-2012) – Mission Document. 2005. Ministry of Health and Family Welfare, Government of India. Available from: [http://mohfw.nic.in/NRHM/Documents/Mission\\_Document.pdf](http://mohfw.nic.in/NRHM/Documents/Mission_Document.pdf).
- <sup>9</sup>Government of India. 1982. National Mental Health Programme for India. New Delhi: Ministry of Health and Family Welfare, Government of India.
- <sup>10</sup>Director General of Health Services (DGHS). 1990. National Mental Health Programme: A Progress Report (1982–1990), New Delhi: DGHS.
- <sup>11</sup>National Mental Health Programme for India. New Delhi: Government of India, Nirman Bhavan; 1982.
- <sup>12</sup>Isaac, M.K. 1988. ‘Bellary District Mental Health Programme’, Community Mental Health News, 11 & 12, ICMR-CAR on Community Mental Health, NIMHANS, Bangalore.
- <sup>13</sup>Kumar, A. 2005. “District Mental Health Program in India: A Case Study”, Journal of Health and Development, Vol. 1, No. 1, January-March 2005.
- <sup>14</sup>Wig, N. N. and Murthy, R. Srinivas. 2009. Mental health care – need to expand its reach. The Tribune. 10 October 2009.
- <sup>15</sup>Pathare, S. 2005. Less than 1% of our health budget is spent on mental health. InfoChange News & Features, June 2005. Available from: <http://infochangeindia.org/agenda/access-denied/less-than-1-of-our-health-budget-is-spent-on-mental-health.html>. Accessed: 16th May 2011.
- <sup>16</sup>National Commission on Farmers. 2006. Serving farmers and saving farmers, Fifth and final report. New Delhi: Government of India, Ministry of Agriculture, Shastri Bhavan; October 2006.
- <sup>17</sup>Chatterjee, P. 2009. Economic crisis highlights mental health issues in India. The Lancet, Volume 373, Issue 9670, Pages 1160 - 1161, 4 April 2009. doi:10.1016/S0140-6736(09)60666-8.
- <sup>18</sup>Pathare, S. 2005. Less than 1% of our health budget is spent on mental health. InfoChange News & Features, June 2005. Available from: <http://infochangeindia.org/agenda/access-denied/less-than-1-of-our-health-budget-is-spent-on-mental-health.html>. Accessed: 16th May 2011.

- <sup>19</sup>Report of the National Commission on Macroeconomics and Health. 2005. National Commission on Macroeconomics and Health Ministry of Health & Family Welfare Government of India, New Delhi August 2005.
- <sup>20</sup>Peters D, Yazbeck A, Ramana G, Sharma R, Pritchett L, Wagstaff A. Raising the sights: Better health systems for India's poor. Washington, DC: The World Bank; 2001.
- <sup>21</sup>The World Health Report 2001- Mental health: New understanding, new hope. 2001. Geneva: World Health Organization.
- <sup>22</sup>Gururaj G, Issac MK. 2004. Psychiatric epidemiology in India: Moving beyond numbers. In: Agarwaal SP, Goel DS, Salhan RN, Ichhpujani RL, Shrivatsava S, editors. Mental health-An Indian perspective (1946- 2003), New Delhi: Directorate General of Health Services, Ministry of Health and Family Welfare; 2004. p. 37-61.
- <sup>23</sup>Murray, CJL and Lopez, AD eds. 1996. The Global Burden of Disease: A Comprehensive Assessment of Mortality and Disability from Diseases, Injuries and Risk Factors in 1990 Projected to 2020.
- <sup>24</sup>National Commission on Macroeconomics and Health Background Papers—Burden of Disease in India (New Delhi, India), September 2005. Ministry of Health & Family Welfare, Nirman Bhawan, Maulana Azad Road, New Delhi 110011, India
- <sup>25</sup>National Mental Health Programme. 2010. National Institute of Health and Family Welfare. Available from: <http://nihfw.org/NDC/DocumentationServices/NationalHealthProgramme/Nationalmentalhealthprogramme.html>. Accessed: 19th September 2010.
- <sup>26</sup>Gururaj, G., Girish, N., Isaac, M.K. 2005. Mental, neurological and substance abuse disorders: Strategies towards a systems approach. National Commission on Macroeconomics and Health Background Papers—Burden of Disease in India (New Delhi, India), September 2005. Ministry of Health & Family Welfare, Nirman Bhawan, Maulana Azad Road, New Delhi 110011, India.
- <sup>27</sup>Yadav K., Jarhyan P., Gupta V., Pandav CS. 2009. Revitalizing rural health care delivery: Can rural health practitioners be the answer? *Indian Journal of Community Medicine*; 34: 3–5.
- <sup>28</sup>Ministry of Health and Family Welfare, Government of India. Chapter I: Overview of the National Health System. In: Report: Task Force on Medical Education for the National Rural Health Mission.
- <sup>29</sup>Ministry of Health and Family Welfare, Government of India. 2007. Bulletin on Rural Health Statistics. Available from: <http://mohfw.nic.in/Bulletin%20on%20RHS%20%20March,%202007%20%20PDF%20Version/Title%20Page.htm>. Accessed: Dec. 20, 2009.
- <sup>30</sup>Ministry of Health and Family Welfare, Government of India. 2007. Bulletin on Rural Health Statistics. Available from: <http://mohfw.nic.in/Bulletin%20on%20RHS%20%20March,%202007%20%20PDF%20Version/Title%20Page.htm>. Accessed: Dec. 20, 2009.
- <sup>31</sup>WHO-AIMS Report on Mental Health System in Uttarkhand, India, WHO and Ministry of Health, Dehradun, Uttarkhand, India, 2006.
- <sup>32</sup>Raguram R, Weiss MG, Channabasavanna SM, Devins GM. Stigma, depression, and somatization in South India. *American Journal of Psychiatry* 1996; 153: 1043–49.
- <sup>33</sup>Saraceno B, van Ommeren M, Batniji R, et al. 2007. Barriers to improvement of mental health services in low-income and middle-income countries. *Lancet* 2007; 370: 1164-74 doi: 10.1016/S0140-6736(07)61263-X pmid: 17804061.
- <sup>34</sup>WHO. 2005. Mental Health Atlas (revised edition), World Health Organisation, Geneva.
- <sup>35</sup>WHO. 2001. Atlas: Country Profiles on Mental Health Resources 2001, World Health Organisation, Geneva.
- <sup>36</sup>Thara R, Patel V. Role of non-governmental organizations in mental health in India. *Indian J Psychiatry* 2010;52:389-95.
- <sup>37</sup>Nav Bharat Jagriti Kendra. 2010. Community Mental Health Programme. Available from: [http://www.nbjk.org/our\\_work/health.htm](http://www.nbjk.org/our_work/health.htm). Accessed: 29th November 2010.
- <sup>38</sup>Shant Manas Trust. 2010. Available from: <http://www.shantmanas.org>. Accessed: 30th November 2010.
- <sup>39</sup>The Richmond Fellowship Society (India). 2010. Available from: [www.rfsindia.org](http://www.rfsindia.org). Accessed: 30th November 2010).
- <sup>40</sup>Patel V, Thara R, (Ed.). 2003. Meeting Mental Health needs in developing countries: NGO innovations in India, Sage (India), New Delhi.
- <sup>41</sup>Mental Health Programme. 2010. Source: National Portal Content Management Team, Reviewed on: 07-07-2010. Available from: [http://india.gov.in/sectors/health\\_family/mental\\_health.php](http://india.gov.in/sectors/health_family/mental_health.php). Accessed: 16th May 2011.